



In application of the Regulation (EU) 2016/425 of 9 March 2016 concerning the harmonization of the Member States legislation relative to personal protective equipment, Centexbel Notified body 0493 authorized by the FPS Economy (Federal Public Services) has issued the following:

EU TYPE EXAMINATION CERTIFICATE

Nr. 031/2020/1548

This EU Type examination certificate is valid until 22 Dec 2025

to: **HAVEP, Goirle**

for: **VP-18-B2: Coverall VP-18-OL B2**

The personal protective equipment above mentioned satisfies the applicable essential safety requirements of the Regulation (EU) 2016/425.

For the argumentation, the following standards are used:


EN 17353:2020	Protective clothing - Enhanced visibility equipment for medium risk situations - Test methods and requirements
EN ISO 11611:2015	Protective clothing for use in welding and allied processes
IEC 61482-2:2018	Live working - Protective clothing against the thermal hazards of an electric arc - Part 2: Requirements
EN 1149-5:2018	Protective clothing - Electrostatic properties - Part 5: Material performance and design requirements
EN ISO 11612:2015	Protective Clothing - Clothing to protect against heat and flame - Minimum performance requirements
EN ISO 13688:2013	Protective clothing - General requirements
EN 13034:2005+A1:2009	Protective clothing against liquid chemicals - Performance requirements for chemical protective clothing offering limited protective performance against liquid chemicals (Type 6 and Type PB[6])

This is PPE of category III, subject to regular checks in accordance with article 19 of the European PPE Regulation. In agreement with the manufacturer's choice audits of the production process shall be carried out to assess the Conformity of type (Module D). The manufacturer must be able, on request, to present the audit report. A first audit shall be performed at the latest on 31 Dec 2021 and at least be repeated with intervals of one year.

This declaration applies to the equipment as submitted in the type testing and described in the manufacturer's technical documentation (As described in 2016/425 Annex III) that is registered with number 13039.

This certificate has been drawn up in accordance with the general certification regulation of Centexbel which is available via <https://www.centexbel.be>

Issued by Centexbel, Notified Body 0493, in Ghent, on 22 Dec 2020


Inge De Witte
Certification Manager
Attached: 1 Annex



ANNEX

EU TYPE EXAMINATION CERTIFICATE Nr. 031/2020/1548

1. Applicant

HAVEP
Bergstraat 50
5051 HC Goirle
Netherlands

2. Description

EN 13034:2005+A1:2009



Type 6

EN ISO 11612:2015



A1 A2 B1 C1 D0 E2 F1

EN ISO 11611:2015



A1 A2 Klasse 1



EN 1149-5:2018



IEC 61482-2:2018



APC 1

EN 17353:2020



B2



3. Materials and accessories

Outer fabric

- D09328MM/D001287
- D09339MQ/D001269
- D1S177ZM/D001177
- D1S3313Z/D001331
- D1S337MX/D001337
- D1S420MQ/D001420

Lining

- D1S282KS/D001282
- D1S431ZD/D001431

Reflective Tape

- FR263113/FR263113888B070
- FR263115/FR263114
- FR263132/FR263132888B050
- FR263133 5530
- FR263133 5535
- FR263140

Transfer

- Pi Standard Classic FR on CO/PES 290 g/m²
- Pi Standard Classic FR on MOD/CO 200 g/m²
- Polytrans FR (Polymark) on CO 350 g/m²
- Polytrans FR (Polymark) on CO/PES 250 g/m²
- Polytrans FR (Polymark) on MOD/CO 240 g/m²

Hook and loop fastener closed

- hook and loop VEHFR/021+VE25ZFR/021 (Alfatex) on CO 280 g/m²
- hook and loop VEHFR/021+VE25ZFR/021 (Alfatex) on CO/PES 250 g/m²
- hook and loop VEHFR/021+VE25ZFR/021 (Alfatex) on MOD/CO 300 g/m²

Zipper

- zipper COIL FR263019/FR263256 on CO 280 g/m²
- zipper COIL FR263019/FR263256 on CO/PES 250 g/m²
- zipper COIL FR263019/FR263256 on MOD/CO 200 g/m²
- zipper METAL FR263040/41/42 on CO 280 g/m²
- zipper METAL FR263040/41/42 on CO/PES 250 g/m²
- zipper METAL FR263040/41/42 on MOD/CO 200 g/m²
- zipper VISLON FR263010/FR263009 on CO 280 g/m²
- zipper VISLON FR263010/FR263009 on CO/PES 250 g/m²
- zipper VISLON FR263010/FR263009 on MOD/CO 200 g/m²



Press button

- heavy metal press button FD263042/43/44/45/46 // light metal press button FD263055/56/57/58
- plastic press button FD263014/15/16 (uncovered) on CO 140 g/m²
- plastic press button FD263014/15/16 (uncovered) on CO/PES 250 g/m²
- plastic press button FD263014/15/16 (uncovered) on MOD/CO 200 g/m²

Seam

- seam FG266000 on CO 280 g/m²
- seam FG266000 on CO/PES 280 g/m²
- seam FG266000 on MOD/CO 200 g/m²

Garment

- 50285 BOX1 MQ (CO/PES)
- AEAVBOX1 D342+D330 (MAC)
- D09339MQ/D02269 garment
- D1S177ZM/D001177 garment
- D1S3313Z/D001331 garment
- D1S337MX/D001337 garment

Reinforcement

- D1S3858Z/D001385

Ribbed edge

- FB260010

Exterior accessory

- FO263213

Description/Picture of article

Article **VP-18-B2: Coverall VP-18-OL B2**



The above picture is a general picture of the article. Possible variations of the above article can be present in the technical file.

Note :

Any modification in material, design, or other technical features must be brought to the attention of the Notified Body.